

# Winner Components

(Pty) Ltd



## Product List



## Gear Pumps & Motors

- Group 1(0.9cc-9.8cc) Group 2(4cc-26cc) Group 3(19cc-62cc)
- Standard European, German , SAE mount & Deutz mounts
- Taper, parallel keyed or splined shaft.
- Priority flow control and pressure relief rear covers.
- Pumps: Double or triple stage configuration.



## Gear Pump Spares

- External load Bearing Adaptor.
- Seal Kits Standard & Viton.
- European & German Port Adaptors.



## Directional Control Valves

- Monoblock & Sectional.
- Max pressure – 350 bar (5000psi)
- Spring, detent, pneumatic, cable, hydraulic & electric valve actuation.
- Different spools available.
- Kits and spares sold separately.



## Hand Pumps

- 25 & 45cc
- Double acting pump action.
- Double & single action requirements.
- 1 to 5 litre tank sizes.



## In-Line Components

- Check
- Flow Control
- 50/50 Flow dividers
- Pilot check
- Over centre
- In-Line relief



## Orbital Motors

- Low speed high torque
- GDS (Type OMM) 8.2-50cc
- GKS (Type OMR) 51.4-400cc
- GLS (Type OMS) 80-400cc
- GLT (Type OMT) 16-500cc
- GLV (Type OMV) 315-800cc



## Filters

- Tank strainer
- Tank top
- Spin-on elements & heads suction and return
- Medium and high pressure & return type
- 10-25 Micron



## Bell Housing & Couplings

- Group 1, 2 & 3
- 0.12-22kw
- Spidex
- Dentex heavy duty type



## Tank Accessories

### Level Gauges

- Standard & Temperature
- 76, 127 & 254mm
- Pressure Gauges
- 63mm Dial, 0-600 bar
- Bottom and Rear port



## Ball Valve & Diverter

### High Pressure Ball Valves

- 2 way BSPP
- 3 way BSPP L & T ports
- ¼"-1"
- 500 bar

Diverter Valves: 3 way and 6 way



## Gearboxes

- PTO tractor auxiliary gear pump mount
- Group 2 & 3
- 3:1 Ratio
- Male & female



## Pilot Valves

### Joy Stick

- Multi & single axis
- 1 & 2 bank, stackable 1-9 sections
- 10-100 bar pilot pressure
- Foot Pedal
- Single & double acting



## CETOP Valves

- NG6, 10 & 16
- 12V, 24V, 220V & 380 V
- Sandwich valves
- Sub plates
- Hirschmann plugs
- All configurations



## Mini Power Units

- AC & DC
- 12, 24 & 220 volt
- 0.9-9.8cc pumps
- 1-20 litre tanks available
- Custom made to any requirements



## Cylinders


Tie-Rod Cylinders

- 2", 3" & 4" Bore
- 8"-48" Stroke
- Seal Kits
- Pins, clevis & glands sold separately



## High Pressure Power Units

- Radial Piston Pump
- Operating Pressure: Up to 1000 bar
- Displacement : 0.47 to 8.14 cm<sup>3</sup>/rev
- Speed Range : 500 to 2000 rpm



### Durban:

Unit 3, 3 Kyalami Road, Westmead, Durban,  
Kwazulu-Natal

Tel: 031 700 8762

Fax: 031 700 2927

### Johannesburg:

Unit 3a, 50 Mopedi Road, Sebenza,  
Gauteng

Tel: 011 452 3407

Fax: 011 452 3166